Kariotakis

www.kariotakis.com.gr

Price List

January 2025



Kariotakis O.E. / 14km Drama - Kavala / Agios Athanasios 66300 Doxato / Drama / Greece

Tel: +30 25210 66426 Email: info@kariotakis.com.gr

With the publication of this price list, all previous price lists and price quotations lose their validity. The prices are net prices excluding sales tax.

Co-operation terms & deivery:
All prices are specified in euro and are non-binding, ex factory, without packaging, without transport costs, without fees, without custom charges, without exchange fees.
Various fees and expenditures will be invoiced.

Use of the machine:
For the operation of all Kariotakis implements, the user himself is responsible for complying with the road traffic regulations applicable in his country. Every time that a Kariotakis machinery is being attached or disconnected with a tractor the operator of the tractor is responsible. The operator of the tractor is obligated to follow the safe instruction as those are described at the Operation Manual.

Warranty terms:
The warranty policy defined by Kariotakis is applicable. Warranty claims are only recognized after previous consultation with our company.

Technical specifications:
Our technical department are continuously working on improving our implements. For this reason, we reserve the right to make changes and improvements as we deem necessary. This is not associated with an obligation to extend these improvements on previously delivered implements. All technical specifications and figures are non-binding, we reserve the right to make modifications to the design.

Legal notes:
Photo credits: All the photos have been edit & proceed and they belong at Kariotakis company.
All technical data provided without guarantee, errors and omissions excepted!
All figures are to be considered as symbolic photos.

Kariotakis O.E.
14km Drama - Kavala
Agios Athanasios
66300 Doxato, Drama
Greece

Tel: +30 25210 66426
Fax: +30 25210 66401

6 Reversible



MICRON

8 Reversible



KK2000

12 Reversible



MASTER

14 Reversible **No-Stop**



G-MASTER

16 Reversible **ON LAND** NEW



MASTER LO

17 Plough **No-Stop**



MP

18 Plough **No-Stop**



KY 2000

20 Plough



BK 2000

22 Plough



BKD 2000

24 Subsoiler



T - G - F

Hydro - GEATRON

28 Cultivator **No-Stop**



MasterMix

30 Discharrow



VFN710

31 Cultivator Kompaktor



MultiKompakt

33 Cultivator



KP

36 Cultivator



SeedC

37 DiscHarrow



SmartDisc

41 Furrow cultivator



S5 - S7 - S9

44 Vinyard





Code	**M12**
Weight	20,90 Kgr
Length	98cm



Code	**K28**
Weight	25,00 Kgr
Length	119cm



Code	**K30**
Weight	21,80 Kgr
Length	110cm



Hydraulic adjustment				
	85 cm	90 cm	95 cm	102 cm
Working width (inches)	10” - 18” inches	11” - 19” inches	12” - 20” inches	13” - 21” inches
Working width (cm)	25,40cm - 45,70cm	27,90cm - 48,25cm	30,50cm - 50,80cm	33,00cm - 53,35cm

Μηχανική μεταβολή / Mechanical adjustment				
	85 cm	90 cm	95 cm	102 cm
Πλάτος εργασίας *Working width* (ίντσα / inches)	(Position 1) 10" (Position 2) 12" (Position 3) 14" (Position 4) 16"	**(Position 1)** 11" **(Position 2)** 13" **(Position 3)** 15" **(Position 4)** 17"	**(Position 1)** 12" **(Position 2)** 14" **(Position 3)** 16" **(Position 4)** 18"	**(Position 1)** 13" **(Position 2)** 15" **(Position 3)** 17" **(Position 4)** 19"
Πλάτος εργασίας *Working width* (εκατ. / cm)	**(Position 1)** 25cm **(Position 2)** 30cm **(Position 3)** 36cm **(Position 4)** 41cm	**(Position 1)** 28cm **(Position 2)** 33cm **(Position 3)** 38cm **(Position 4)** 43cm	**(Position 1)** 30cm **(Position 2)** 36cm **(Position 3)** 41cm **(Position 4)** 46cm	**(Position 1)** 33cm **(Position 2)** 38cm **(Position 3)** 43cm **(Position 4)** 48cm

MICRON

Reversible plows

www.kariotakis.com.gr



70-120 Hp



2 - 4



Double Frame
100x100x10
+ 80x80x8



Rotation Axis
Ø95 -Ø110

Standard Equipment :

- Link attachment with the tractor 3 points
- Hydraulic cylinder double acting for rotation
- **Main frame 180mm width X 100mm height**
  from double steel frame 100x100x10 plus 80x80x8
- Possibility of construction with arm extension 2+1 , 3+1
- VARIO - Hydraulic adjustment of the working width
- Mechanical adjustment of the working width
- Distance between furrows 85cm or 90cm
- Underframe clearance 68cm
- Strong rotation axis
- Protection system safety bolt M12
- Rubber tires 10 / 0.80-12 5F 10PR



Mechanically adjustment of the working width

Model		Axis				Kgr.		€
MICRON2M12 **MICRON2K30**	2	No.95	70-85 HP	68cm	85cm | 25-30-36-41 cm 90cm | 28-33-38-43 cm	695 Kgr	M12 K30	9.840,00 € 10.824,00 €
MICRON2M12+ **MICRON2K30+**	**2 +**	**No.95**	**70-85 HP**	**68cm**	**85cm | 25-30-36-41 cm** **90cm | 28-33-38-43 cm**	**704 Kgr**	**M12** **K30**	**10.440,00 €** **11.484,00 €**
MICRON3M12 **MICRON3K30**	3	No.95	85-100 HP	68cm	85cm | 25-30-36-41 cm 90cm | 28-33-38-43 cm	914 Kgr	M12 K30	11.880,00 € 13.068,00 €
MICRON3M12+ **MICRON3K30+**	**3 +**	**No.100**	**85-100 HP**	**68cm**	**85cm | 25-30-36-41 cm** **90cm | 28-33-38-43 cm**	**1.037 Kgr**	**M12** **K30**	**12.480,00 €** **13.728,00 €**
MICRON4M12 **MICRON4K30**	4	No.100	100-120 HP	68cm	85cm | 25-30-36-41 cm 90cm | 28-33-38-43 cm	1.224 Kgr	M12 K30	14.040,00 € 15.444,00 €

VARIO - Hydraulic adjustment of the working width

Model		Axis				Kgr.		€
MICRONV2M12 **MICRONV2K30**	2	No.95	70-85 HP	68cm	85cm | 25 -46 cm 90cm | 28-48 cm	762 Kgr	M12 K30	11.682,00 € 12.850,20 €
MICRONV2M12+ **MICRONV2K30+**	**2 +**	**No.95**	**70-85 HP**	**68cm**	**85cm | 25 -46 cm** **90cm | 28-48 cm**	**772 Kgr**	**M12** **K30**	**12.282,00 €** **13.510,20 €**
MICRONV3M12 **MICRONV3K30**	3	No.95	85-100 HP	68cm	85cm | 25 -46 cm 90cm | 28-48 cm	980 Kgr	M12 K30	14.280,00 € 15.708,00 €
MICRONV3M12+ **MICRONV3K30+**	**3 +**	**No.100**	**85-100 HP**	**68cm**	**85cm | 25 -46 cm** **90cm | 28-48 cm**	**1.096 Kgr**	**M12** **K30**	**14.960,00 €** **16.456,00 €**
MICRONV4M12 **MICRONV4K30**	4	No.100	100-120 HP	68cm	85cm | 25 -46 cm 90cm | 28-48 cm	1.298 Kgr	M12 K30	16.560,00 € 18.216,00 €













	Code	Description	Kgr.	Price / unit
1	**SET073300**	Set Turbo-trashboard KV, Right (073300 & 073310)	5,750 Kgr	68,00 €
	SET073301	Set Turbo-trashboard KV, Left (073301 & 073311)	5,750 Kgr	68,00 €
2	**01034R**	Mouldboard extention KV, Right (053387)	1,900 Kgr	23,00 €
	01034L	Mouldboard extention KV, Left (053388)	1,900 Kgr	23,00 €
3	**073091**	Knife for shares KV, Right	0,800 Kgr	23,00 €
	073092	Knife for shares KV, Left	0,800 Kgr	23,00 €
4	**76812M**	Set of Skim boards KV	30 Kgr	250,00 €
5	**EXT+1 Mm M12**	Extention body +1 for MICRON mechanically M12		2.000,00 €
	EXT+1 Mm K30	Extention body +1 for MICRON mechanically K30		2.200,00 €
	EXT+1 Mh M12	Extention body +1 for MICRON hydraulically M12		2.100,00 €
	EXT+1 Mh K30	Extention body +1 for MICRON hydraulically K30		2.300,00 €
6	**DC 013**	Reversible plow disc system	30 Kgr	700,00 €



KK 2000

KK 2000

Reversible plows



90-200 Hp



3 - 5



Double Frame
150x100x10
+ 120x80x8



Rotation Axis
Ø110 -Ø170

Standard Equipment :

- Link attachment with the tractor 3 points
- Hydraulic cylinder double acting for rotation
- **Main frame 180mm width X 150mm height**
  from double steel frame 150x100x10 plus 120x80x8
- Possibility of construction with arm extension 3+1 , 4+1
- VARIO - Hydraulic adjustment of the working width
- Mechanical adjustment of the working width
- Distance between furrows 90cm,95cm or 102cm
- Underframe clearance 76cm
- Strong rotation axis
- Protection system safety bolt M12
- Rubber tires 10 / 0.80-12 5F 10PR



Mechanically adjustment of the working width

Model		Axis				Kgr.		€
KK20003M12 **KK20003K28** **KK20003K30**	3	No.100	90-120 HP	76cm	90cm | 28-33-38-43 cm 95cm | 30-36-41-46 cm 102cm | 33-38-43-48 cm	1.065 Kgr	M12 K28 K30	13.189,00 € 13.794,00 € 14.641,00 €
KK20003M12+ **KK20003K28+** **KK20003K30+**	**3 +**	**No.300**	**90-120 HP**	**76cm**	**90cm | 28-33-38-43 cm** **95cm | 30-36-41-46 cm** **102cm | 33-38-43-48 cm**	**1.179 Kgr**	**M12** **K28** **K30**	**13.889,00 €** **14.494,00 €** **15.341,00 €**
KK20004M12 **KK20004K28** **KK20004K30**	4	No.300	110-170 HP	76cm	90cm | 28-33-38-43 cm 95cm | 30-36-41-46 cm 102cm | 33-38-43-48 cm	1.400 Kgr	M12 K28 K30	15.576,00 € 16.284,00 € 17.228,00 €
KK20004M12+ **KK20004K28+** **KK20004K30+**	**4 +**	**No.700**	**110-170 HP**	**76cm**	**90cm | 28-33-38-43 cm** **95cm | 30-36-41-46 cm** **102cm | 33-38-43-48 cm**	**1.553 Kgr**	**M12** **K28** **K30**	**16.276,00 €** **16.984,00 €** **17.928,00 €**
KK20005M12 **KK20005K28** **KK20005K30**	5	No.700	170-200 HP	76cm	90cm | 28-33-38-43 cm 95cm | 30-36-41-46 cm 102cm | 33-38-43-48 cm	1.815 Kgr	M12 K28 K30	18.172,00 € 18.762,00 € 19.152,00 €

KK 2000

Reversible plows

www.kariotakis.com.gr

90-200 Hp

3 - 5

Double Frame
150x100x10
+ 120x80x8

Rotation Axis
Ø110 -Ø170



VARIO - Hydraulic adjustment of the working width

Model		Axis				Kgr.		€
KK2000V3M12 **KK2000V3K28** **KK2000V3K30**	3	No.100	90-120 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	1.153 Kgr	M12 K28 K30	15.420,00 € 15.900,00 € 17.040,00 €
KK2000V3M12+ **KK2000V3K28+** **KK2000V3K30+**	**3 +**	**No.300**	**90-120 HP**	**76cm**	**90cm | 28-48 cm** **95cm | 31-51 cm** **102cm | 33-53 cm**	**1.267Kgr**	**M12** **K28** **K30**	**16.220,00 €** **16.700,00 €** **17.840,00 €**
KK2000V4M12 **KK2000V4K28** **KK2000V4K30**	4	No.300	110-170 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	1.517 Kgr	M12 K28 K30	18.290,00 € 18.880,00 € 20.296,00 €
KK2000V4M12+ **KK2000V4K28+** **KK2000V4K30+**	**4 +**	**No.700**	**110-170 HP**	**76cm**	**90cm | 28-48 cm** **95cm | 31-51 cm** **102cm | 33-53 cm**	**1.690 Kgr**	**M12** **K28** **K30**	**19.090,00 €** **19.680,00 €** **21.096,00 €**
KK2000V5M12 **KK2000V5K28** **KK2000V5K30**	5	No.700	170-200 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	1.948 Kgr	M12 K28 K30	20.943,00 € 21.645,00 € 23.283,00 €

















	Code	Description	Kgr.	Price / unit
1	**SET073300**	Set Turbo-trashboard KV, Right (073300 & 073310)	5,750 Kgr	68,00 €
	SET073301	Set Turbo-trashboard KV, Left (073301 & 073311)	5,750 Kgr	68,00 €
2	**01034R**	Mouldboard extention KV, Right (053387)	1,900 Kgr	23,00 €
	01034L	Mouldboard extention KV, Left (053388)	1,900 Kgr	23,00 €
3	**073091**	Knife for shares KV, Right	0,800 Kgr	23,00 €
	073092	Knife for shares KV, Left	0,800 Kgr	23,00 €
4	**76812M**	Set of Skim boards KV	30 Kgr	250,00 €
5	**MSystem**	Soft close system for rotation with Memory		1.700,00 €
	Msystem ISO	Soft close system for rotation with Memory ISO		800,00 €
6	**01-801M**	Transportation wheel & working wheel		1.800,00 €
7	**EXT+1 Km M12**	Extention body +1 for KK2000 mechanically M12		2.200,00 €
	EXT+1 Km K28	Extention body +1 for KK2000 mechanically K28		2.300,00 €
	EXT+1 Km K30	Extention body +1 for KK2000 mechanically K30		2.500,00 €
	EXT+1 Kh M12	Extention body +1 for KK2000 hydraulically M12		2.500,00 €
	EXT+1 Kh K28	Extention body +1 for KK2000 hydraulically K28		2.600,00 €
	EXT+1 Kh K30	Extention body +1 for KK2000 hydraulically K30		2.800,00 €
6	**DC 013**	Reversible plow disc system	30 Kgr	700,00 €

MASTER

Reversible plows

www.kariotakis.com.gr



110-250 Hp



3 - 5



Double Frame
160x160x10
+ 120x80x8



Rotation Axis
Ø130 -Ø170

Standard Equipment :

- Link attachment with the tractor 3 points
- Hydraulic cylinder double acting for rotation
- **Main frame 240mm width X 160mm height**
  from double steel frame 160x160x10 plus 120x80x8
- Possibility of construction with arm extension 3+1 , 4+1
- VARIO - Hydraulic adjustment of the working width
- Distance between furrows 95cm or 102cm
- Underframe clearance 76cm or 81cm
- Strong rotation axis
- Protection system safety bolt M14



VARIO - Hydraulic adjustment of the working width

Model		Axis				Kgr.		€
MASTERV3M12 **MASTERV3K28** **MASTER13K30**	3	No.300	110-150 HP	76 / 81 cm	95cm | 31-51 cm 102cm | 33-53 cm	1.267 Kgr	M12 K28 K30	18.816,00 € 19.584,00 € 20.736,00 €
MASTERV3M12+ **MASTERV3K28+** **MASTERV3K30+**	**3 +**	**No.700**	**110-150 HP**	**76 / 81 cm**	**95cm | 31-51 cm** **102cm | 33-53 cm**	**1.440 Kgr**	**M12** **K28** **K30**	**19.616,00 €** **20.384,00 €** **21.536,00 €**
MASTERV4M12 **MASTERV4K28** **MASTERV4K30**	4	No.700	150-200 HP	76 / 81 cm	95cm | 31-51 cm 102cm | 33-53 cm	1.690 Kgr	M12 K28 K30	21.632,00 € 22.400,00 € 23.936,00 €
MASTERV4M12+ **MASTERV4K28+** **MASTERV4K30+**	**4 +**	**No.700**	**150-200 HP**	**76 / 81 cm**	**95cm | 31-51 cm** **102cm | 33-53 cm**	**1.698 Kgr**	**M12** **K28** **K30**	**22.432,00 €** **23.200,00 €** **24.736,00 €**
MASTERV5M12 **MASTERV5K28** **MASTERV5K30**	5	No.700	180-250 HP	76 / 81 cm	95cm | 31-51 cm 102cm | 33-53 cm	1.965 Kgr	M12 K28 K30	24.180,00 € 24.676,00 € 26.536,00 €

















	Code	Description	Kgr.	Price / unit
1	**SET073300**	Set Turbo-trashboard KV, Right (073300 & 073310)	5,750 Kgr	68,00 €
	SET073301	Set Turbo-trashboard KV, Left (073301 & 073311)	5,750 Kgr	68,00 €
2	**01034R**	Mouldboard extention KV, Right (053387)	1,900 Kgr	23,00 €
	01034L	Mouldboard extention KV, Left (053388)	1,900 Kgr	23,00 €
3	**073091**	Knife for shares KV, Right	0,800 Kgr	23,00 €
	073092	Knife for shares KV, Left	0,800 Kgr	23,00 €
4	**76812M**	Set of Skim boards KV	30 Kgr	250,00 €
5	**MSystem**	Soft close system for rotation with Memory		1.700,00 €
	Msystem ISO	Soft close system for rotation with Memory ISO		800,00 €
6	**01-801M**	Transportation wheel & working wheel		1.800,00 €
7	**EXT+1 M M12**	Extention body +1 for MASTER hydraulically M12		3.200,00 €
	EXT+1 M K28	Extention body +1 for MASTER hydraulically K28		3.300,00 €
	EXT+1 M K30	Extention body +1 for MASTER hydraulically K30		3.500,00 €
6	**DC 013**	Reversible plow disc system	30 Kgr	700,00 €

G-MASTER

Reversible plows

www.kariotakis.com.gr



90-200 Hp



3 - 5



Double Frame
150x100x10
+ 120x80x8



Rotation Axis
Ø110 -Ø170

Standard Equipment :

- Link attachment with the tractor 3 points
- Hydraulic cylinder double acting for rotation
- **Main frame 180mm width X 150mm height**
  from double steel frame 150x100x10 plus 120x80x8
- Possibility of construction with arm extension 3+1 , 4+1
- VARIO - Hydraulic adjustment of the working width
- Distance between furrows 95cm or 102cm
- Underframe clearance 76cm
- Strong rotation axis
- Protection system with hydraulic cylinders & nitrogen accumul

NO-STOP



VARIO - Hydraulic adjustment of the working width

Model		Axis				Kgr.		€
GMASTERV3M12 GMASTERV3K28 GMASTERV3K30	3	No.100	100-130 HP	76 cm	95cm | 31-51 cm 102cm | 33-53 cm	1.500 Kgr	M12 K28 K30	26.342,40 € 27.417,60 € 28.713,22 €
GMASTERV3M12+ GMASTERV3K28+ GMASTERV3K30+	**3 +**	**No.300**	**110-170 HP**	**76 cm**	**95cm | 31-51 cm 102cm | 33-53 cm**	**1.620 Kgr**	**M12 K28 K30**	**27.142,40 € 28.217,60 € 29.513,22 €**
GMASTERV4M12 GMASTERV4K28 GMASTERV4K30	4	No.300	140-180 HP	76 cm	95cm | 31-51 cm 102cm | 33-53 cm	1.790 Kgr	M12 K28 K30	30.284,80 € 31.360,00 € 33.510,40 €
GMASTERV4M12+ GMASTERV4K28+ GMASTERV4K30+	**4 +**	**No.700**	**170-200 HP**	**76 cm**	**95cm | 31-51 cm 102cm | 33-53 cm**	**1.940 Kgr**	**M12 K28 K30**	**31.084,80 € 32.160,00 € 34.310,40 €**
GMASTERV5M12 GMASTERV5K28 GMASTERV5K30	5	No.700	180-220 HP	76 cm	95cm | 31-51 cm 102cm | 33-53 cm	2.280 Kgr	M12 K28 K30	33.852,00 € 34.546,40 € 37.150,40 €

















	Code	Description	Kgr.	Price / unit
1	**SET073300**	Set Turbo-trashboard KV, Right (073300 & 073310)	5,750 Kgr	68,00 €
	SET073301	Set Turbo-trashboard KV, Left (073301 & 073311)	5,750 Kgr	68,00 €
2	**01034R**	Mouldboard extention KV, Right (053387)	1,900 Kgr	23,00 €
	01034L	Mouldboard extention KV, Left (053388)	1,900 Kgr	23,00 €
3	**073091**	Knife for shares KV, Right	0,800 Kgr	23,00 €
	073092	Knife for shares KV, Left	0,800 Kgr	23,00 €
4	**76812M**	Set of Skim boards KV	30 Kgr	250,00 €
5	**MSystem**	Soft close system for rotation with Memory		1.700,00 €
	Msystem ISO	Soft close system for rotation with Memory ISO		800,00 €
6	**01-801M**	Transportation wheel & working wheel		1.800,00 €
7	**EXT+1 GM M12**	Extention body +1 for GMASTER hydraulically M12		4.000,00 €
	EXT+1 GM K28	Extention body +1 for GMASTER hydraulically K28		4.200,00 €
	EXT+1 GM K30	Extention body +1 for GMASTER hydraulically K30		4.400,00 €
6	**DC 013**	Reversible plow disc system	30 Kgr	700,00 €

MASTER LO

Reversible plows

ON-LAND

Standard Equipment :

- Link attachment CAT III
- Plowing system IN FURROW & ON LAND the **LO LAND system**
- **VARIO** Hydraulically working width adjustment
- **Memory ISO system**
- **Transport Wheel 7515M** and working wheel **10.0 /75 -15.3** with **Hydraulically** adjusted **working depth**
- Hydraulic cylinder double acting for rotation
- **Main frame 240mm width X 160mm height** from double steel frame 160x160x10 plus 120x80x8
- Adjustment of the 1st plow share
- Distance between furrows 102cm
- Underframe clearance 80 εκατ.
- Strong rotation axis **No 700**
- Protection system Safety Bolt or NO-STOP Hydro with accumulator



VARIO - Hydraulic adjustment of the working width

Model		Axis				Kgr.		€
Safety Bolt/ Βίδα ασφαλείας								
MASTER LO								
MASTER4+ MLOM12	**4 +**	No.LO700	160-250 HP	80 cm	102cm | 33-53 cm	2.340 Kgr	M12	32.400,00 €
MASTER4+ MLOK30							K30	34.992,00 €
MASTER5+ MLOM12	**5 +**	No.LO700	200-300 HP	80 cm	102cm | 33-53 cm	2.690 Kgr	M12	35.200,00 €
MASTER5+ MLOK30							K30	38.016,00 €
MASTER5+1MLOM12	**6 (5+1)**	No.LO700	250-350 HP	80 cm	102cm | 33-53 cm	2.980 Kgr	M12	39.100,00 €
MASTER5+1MLOK30							K30	42.501,00 €
NO-STOP								
G-MASTER LO								
GMASTER4+ MLOM12	**4 +**	No.LO700	160-250 HP	76 cm	102cm | 33-53 cm	2.460 Kgr	M12	40.000,00 €
GMASTER4+ MLOK30							K30	42.400,00 €
GMASTER5+ MLOM12	**5 +**	No.LO700	200-300 HP	76 cm	102cm | 33-53 cm	2.790 Kgr	M12	44.000,00 €
GMASTER5+ MLOK30							K30	46.640,00 €
GMASTER5+1MLOM12	**6 (5+1)**	No.LO700	280-400 HP	76 cm	102cm | 33-53 cm	3.130 Kgr	M12	49.000,00 €
GMASTER5+1MLOK30							K30	51.940,00 €

MP

Plows


80-300 Hp


5 - 13


20 cm

Standard Equipment :

- Link attachment with the tractor 3 points
- Ability to adjust the pull of the plow
- Main frame from steel frame 120X120
- Share with reversible point and big mouldboard
- Underframe clearance 81cm
- Possibility of construction with arm extension +1, +2
- Protection system Non-Stop with Hydraulic Cylinders & Nitrogen accumulator or with safety bolt
- Rubber tires Mechanicaly Adjusted 10 / 0.80-12 5F 10PR

ECO



Model	 (m)			Kgr. (with Hydraulic System)		
MP5-M	1,53 m	min. 80 HP	**5**	740 Kgr	8.200,00 €	11.070,00 €
MP6-M	1,83 m	min. 100 HP	5+1 / **6**	795 Kgr	9.100,00 €	12.285,00 €
MP7-M	2,14 m	min. 120 HP	6+1 / **7**	910 Kgr	9.750,00 €	13.162,50 €
MP8-M	2,44 m	min. 140 HP	7+1 / **8**	1.050 Kgr	10.600,00 €	14.310,00 €
MP9-M	2,75 m	min. 170 HP	8+1 / **9**	1.153 Kgr	11.350,00 €	15.322,50 €
MP10-M	3,05 m	min. 190 HP	9+1 / **10**	1.255 Kgr	12.600,00 €	17.010,00 €
MP11-M	3,35 m	min. 200 HP	10+1 / **11**	1.422 Kgr	13.700,00 €	18.495,00 €
MP12-M	3,65 m	min. 220 HP	11+1 / **12**	1.598 Kgr	14.800,00 €	19.980,00 €
MP13-M	4,00 m	min. 250 HP	12+1 / **13**	1.743 Kgr	16.400,00 €	22.140,00 €

01-802E



750,00 €

Code	Description	Price / unti
01-802E	Elastic working wheel hydraulically adjusted	750,00 €

KY 2000

Plows

90-200 Hp

3 - 5

Double Frame
150x100x10
+ 120x80x8

Standard Equipment :

- Link attachment with the tractor 3 points
- Main frame 180mm width X 150mm height
  from double steel frame 150x100x10 plus 120x80x8
- VARIO - Hydraulic adjustment of the working width
- Distance between furrows 90cm,95cm or 102cm
- Underframe clearance 76cm
- Protection system with Hydraulic Cylinders & Nitrogen Accumulator
- Rubber tires Mechanicaly Adjusted 10 / 0.80-12 5F 10PR

NO-STOP



VARIO - Hydraulic adjustment of the working width

Model					Kgr.		€
KY20003M12 **KY20003K28** **KY20003K30**	3	90-120 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	1.080 Kgr	M12 K28 K30	11.488,50 € 12.062,93 € 12.867,12 €
KY20003M12+ **KY20003K28+** **KY20003K30+**	**3 +**	**90-120 HP**	**76cm**	**90cm | 28-48 cm** **95cm | 31-51 cm** **102cm | 33-53 cm**	**1.100 Kgr**	**M12** **K28** **K30**	**11.758,50 €** **12.332,93 €** **13.137,12 €**
KY20004M12 **KY20004K28** **KY20004K30**	4	110-170 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	1.395 Kgr	M12 K28 K30	13.817,25 € 14.508,11 € 15.475,32 €
KY20004M12+ **KY20004K28+** **KY20004K30+**	**4 +**	**110-170 HP**	**76cm**	**90cm | 28-48 cm** **95cm | 31-51 cm** **102cm | 33-53 cm**	**1.415 Kgr**	**M12** **K28** **K30**	**14.087,25 €** **14.778,11 €** **15.745,32 €**
KY20005M12 **KY20005K28** **KY20005K30**	5	150-200 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	1.550 Kgr	M12 K28 K30	16.100,00 € 16.905,00 € 18.032,00 €

SET073300
SET073301



1 — 68,00 €

053387
063388



2 — 23,00 €

073091 **073092**



3 — 23,00 €

01-802E



4 — 750,00 €

TLS2000



TLS system will help you to avoid vibration wail transport. For safer and steady transport .

5 — 1.650,00 €

EXT+1 KY



6

	Code	Description	Kgr.	Price / unit
1	**SET073300**	Set Turbo-trashboard KV, Right (073300 & 073310)	5,750 Kgr	68,00 €
	SET073301	Set Turbo-trashboard KV, Left (073301 & 073311)	5,750 Kgr	68,00 €
2	**01034R**	Mouldboard extention KV, Right (053387)	1,900 Kgr	23,00 €
	01034L	Mouldboard extention KV, Left (053388)	1,900 Kgr	23,00 €
3	**073091**	Knife for shares KV, Right (073091)	0,800 Kgr	23,00 €
	073092	Knife for shares KV, Left (073092)	0,800 Kgr	23,00 €
4	**01-802E**	Hydraulic adjustement of the working depth		750,00 €
5	**TLS2000**	System that absorbs vibrations		1.650,00 €
7	**EXT+1 KY M12**	Extention body +1 for KY2000 hydraulically M12		2.300,00 €
	EXT+1 KY K28	Extention body +1 for KY2000 hydraulically K28		2.400,00 €
	EXT+1 KY K30	Extention body +1 for KY2000 hydraulically K30		2.500,00 €

BK 2000

Plows


80-210 Hp


3 - 5


Double Frame
150x100x10
+ 120x80x8

Standard Equipment :

- Link attachment with the tractor 3 points
- Main frame 180 width X 150mm height
  from double steel frame 150x100x10 plus 120x80x8
- Mechanically or VARIO - Hydraulic adjustment of the working width
- Distance between furrows 90cm,95cm or 102cm
- Underframe clearance 76cm
- Protection system with safety bolt
- Rubber tires Mechanicaly Adjusted 10 / 0.80-12 5F 10PR



Mechanically adjustment of the working width

Model					Kgr.		€
BK20003M12 **BK20003K28** **BK20003K30**	3	80-110 HP	76cm	90cm | 28-33-38-43 cm 95cm | 30-36-41-46 cm 102cm | 33-38-43-48 cm	695 Kgr	M12 K28 K30	6.954,00 € 7.301,70 € 7.788,48 €
BK20004M12 **BK20004K28** **BK20004K30**	4	110-170 HP	76cm	90cm | 28-33-38-43 cm 95cm | 30-36-41-46 cm 102cm | 33-38-43-48 cm	875 Kgr	M12 K28 K30	8.064,00 € 8.467,20 € 9.031,68 €
BK20005M12 **BK20005K28** **BK20005K30**	5	170-200 HP	76cm	90cm | 28-33-38-43 cm 95cm | 30-36-41-46 cm 102cm | 33-38-43-48 cm	1.025 Kgr	M12 K28 K30	9.576,00 € 10.054,80 € 10.725,12 €

VARIO - Hydraulic adjustment of the working width

Model					Kgr.		€
BK2000V3M12 **BK2000V3K28** **BK2000V3K30**	3	90-110 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	745 Kgr	M12 K28 K30	8.510,00 € 8.935,50 € 9.531,20 €
BK2000V4M12 **BK2000V4K28** **BK2000V4K30**	4	110-170 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	955 Kgr	M12 K28 K30	10.235,00 € 10.746,75 € 11.463,20 €
BK2000V5M12 **BK2000V5K28** **BK2000V5K30**	5	150-210 HP	76cm	90cm | 28-48 cm 95cm | 31-51 cm 102cm | 33-53 cm	1.115 Kgr	M12 K28 K30	11.500,00 € 12.075,00 € 12.880,00 €

SET073300
SET073301



1 — 68,00 €

053387
063388



2 — 23,00 €

073091 **073092**



3 — 23,00 €

01-802E



4 — 750,00 €

TLS2000



TLS system will help you to avoid vibration wail transport. For safer and steady transport .

5 — 1.650,00 €

	Code	Description	Kgr.	Price / unit
1	**SET073300**	Set Turbo-trashboard KV, Right (073300 & 073310)	5,750 Kgr	68,00 €
	SET073301	Set Turbo-trashboard KV, Left (073301 & 073311)	5,750 Kgr	68,00 €
2	**01034R**	Mouldboard extention KV, Right (053387)	1,900 Kgr	23,00 €
	01034L	Mouldboard extention KV, Left (053388)	1,900 Kgr	23,00 €
3	**073091**	Knife for shares KV, Right (073091)	0,800 Kgr	23,00 €
	073092	Knife for shares KV, Left (073092)	0,800 Kgr	23,00 €
4	**01-802E**	Hydraulic adjustement of the working depth		750,00 €
5	**TLS2000**	System that absorbs vibrations		1.650,00 €

BKD 2000

Plows

35-115 Hp

2 - 4

Double Frame
100x100x10
+ 80x80x8

Standard Equipment :

- Link attachment with the tractor 3 points
- Main frame from double steel frame 100x100x10 plus 80x80x8
- Mechanically or VARIO - Hydraulic adjustment of the working width
- Distance between furrows 80cm or 85cm
- Underframe clearance 68cm
- Protection system with safety bolt
- Rubber tires Mechanicaly Adjusted 10 / 0.80-12 5F 10PR



Mechanically adjustment of the working width

Model						€
BKD20002M12	2	35-55 HP	68cm	85cm | 25-30-36-41 cm 90cm | 28-33-38-43 cm	M12	5.700,00 €
BKD20003M12	3	55-80 HP	68cm	85cm | 25-30-36-41 cm 90cm | 28-33-38-43 cm	M12 570 Kgr	6.500,00 €
BKD20004M12	4	75-115 HP	68cm	85cm | 25-30-36-41 cm 90cm | 28-33-38-43 cm	M12	7.600,00 €

VARIO - Hydraulic adjustment of the working width

Model						€
BKD2000V2M12	2	35-55 HP	68cm	85cm | 25-46 cm 90cm | 28-48 cm	M12	6.500,00 €
BKD2000V3M12	3	55-80 HP	68cm	85cm | 25-46 cm 90cm | 28-48 cm	M12 620 Kgr	7.400,00 €
BKD2000V4M12	4	75-115 HP	68cm	85cm | 25-46 cm 90cm | 28-48 cm	M12	8.600,00 €

SET073300
SET073301



1 — 68,00 €

053387
063388



2 — 23,00 €

073091 **073092**



3 — 23,00 €

01-802E



4 — 750,00 €

TLS2000



TLS system will help you to avoid vibration wail transport. For safer and steady transport .

5 — 1.650,00 €

	Code	Description	Kgr.	Price / unit
1	**SET073300**	Set Turbo-trashboard KV, Right (073300 & 073310)	5,750 Kgr	68,00 €
	SET073301	Set Turbo-trashboard KV, Left (073301 & 073311)	5,750 Kgr	68,00 €
2	**01034R**	Mouldboard extention KV, Right (053387)	1,900 Kgr	23,00 €
	01034L	Mouldboard extention KV, Left (053388)	1,900 Kgr	23,00 €
3	**073091**	Knife for shares KV, Right (073091)	0,800 Kgr	23,00 €
	073092	Knife for shares KV, Left (073092)	0,800 Kgr	23,00 €
4	**01-802E**	Hydraulic adjustement of the working depth		750,00 €
5	**TLS2000**	System that absorbs vibrations		1.650,00 €

MEGATRON

Subsoilers

www.kariotakis.com.gr









Standard Equipment :

- Three points connection with the tractor
- Underframe clearance 90cm (type T)
- Up to 55cm working depth
- Arms from special HARDOX steel 30mm
- Infond knife & double side knifes with length 20cm and ability to adjust their working depth
- Rear cylinder CUT Hydraulically adjusted Ø560mm/ Ø560mm
- Safety bolt at each arm



	Model		 (m)		 90 cm	 CUT	 MN
T series	**T5CUT-250**	150-200 HP	2,50 m	FIX	5	11.200,00 € *1.850Kgr*	16.400,00 € *2.200 Kgr*
	T7CUT-300	190-250 HP	3,00 m	FIX	7	13.100,00 € *2.230 Kgr*	20.100,00 € *3.050 Kgr*
	T9CUT-400	220-330 HP	4,00 m	FIX	9	16.200,00 € *2.850 Kgr*	24.900,00 € *3.600 Kgr*
	T11CUT-500	250-390 HP	5,00 m	FIX	11	19.800,00 € *3.300 Kgr*	



Standard Equipment :

- Three points connection with the tractor
- Underframe clearance 80cm (type G)
- Up to 55cm working depth
- Arms from special HARDOX steel 30mm
- Infond knife & double side knifes with length 20cm and ability to adjust their working depth
- Rear cylinder CUT Hydraulically adjusted Ø560mm/ Ø560mm
- Safety bolt at each arm



	Model		(m)		80 cm	CUT
G series	**G5CUT-250**	110-150 HP	2,50 m	FIX	5	9.800,00 € *1.600 Kgr*
	G7CUT-300	150-200 HP	3,00 m	FIX	7	11.500,00 € *1.940 Kgr*
	G9CUT-400	180-220 HP	4,00 m	FIX	9	14.500,00 € *2.450 Kgr*

50 015



	Code	**Description**	**Price**
1	**50 015**	Set side plates mechanical adjusted	800,00 €

1 800,00 €

MEGATRON
Subsoilers

HYDRO

Standard Equipment :

NO-STOP

- Three point connection with the tractor
- Clearance under the frame 80 cm
- Up to 55 cm working depth
- 30mm HARDOX special steel arms
- Front knife & double-sided knives with long length and the possibility of adjusting their working depth
- Rear cylinder CUT Hydraulically adjustable Ø560mm / Ø560mm
- Safety bolt on each arm
- No-Stop Hydraulic protection system



	Model		(m)		80 cm	CUT
HYDRO	**N5HYDRO-250**	150-250 HP	2,50 m	With hydraulic safety system	**5** 2.296 Kgr	18.900,00 €
	N7HYDRO-300	180-280 HP	3,00 m	With hydraulic safety system	**7** 2.713 Kgr	22.400,00 €
	N9HYDRO-400	250-350 HP	4,00 m	With hydraulic safety system	**9** 3.202 Kgr	26.500,00 €



Arm with height under the beam 90cm /piece 150,00 €





GEATRON

Subsoilers

Standard Equipment :

- 3 point connection with the tractor
- Free height 80cm
- Brackets made of special steel
- No-Stop Hydraulic protection system
- A row of anchors
- Pairing system with another machine
- Up to 35cm working depth



NO-STOP

Number of arms	Working width	Tractor Hp	Price
6	3m	125-210Hp	18.500,00 €
8	4m	210-310Hp	20.700,00 €



SET 2pieces --- Adjustable wheel system 1.600,00 €



BAR-ROL roller Hydraulically Adjustable 3m		3.600,00 €
BAR-ROL roller Hydraulically Adjustable 4m		4.300,00 €



CUT roller Hydraulically Adjustable	3m	5.400,00 €
CUT roller Hydraulically Adjustable	4m	5.900,00 €

MasterMix

Universal Cultivator


110-260 Hp



2.50 - 4.00


35cm



Standard Equipment :

- Three points connection with the tractor
- Under frame clearance 87cm
- Front knife and side knives
- Protection system Non-Stop with Hydraulic Cylinders & Nitrogen Accumulator
- A row of discs
- Three rows of tines
- Hydraulic adjusted rear roller
- Maximum working depth at 35cm



Model	(m)			+ BAR-ROL Ø580mm **BR**	+ U-Knife Ø600mm **KN**
MM250	2,50m	110-150 HP	8	No-Stop 16.640,00 € / Safety Bolt 11.970,00 €	No-Stop 17.510,00 € / Safety Bolt 13.108,00 €
MM300	3,00m	140-200 HP	10	No-Stop 19.176,00 € / Safety Bolt 13.144,00 €	No-Stop 20.196,00 € / Safety Bolt 14.310,00 €
MM350	3,50m	160-230 HP	12	No-Stop 21.632,00 € / Safety Bolt 14.416,00 €	No-Stop 22.440,00 € / Safety Bolt 15.582,00 €
MM400	4,00m	180-260 HP	13	No-Stop 24.544,00 € / Safety Bolt 17.820,00 €	No-Stop 25.480,00 € / Safety Bolt 18.900,00 €

(BR): MasterMix BR with rear roller BAR-ROL Ø580mm Hydraulically adjusted & a row of discs Mechanically adjusted

(KN): MasterMix KN with rear roller U-Knife Ø600mm Hydraulically adjusted & a row of discs Mechanically adjusted

Trailer



Code	Description	Price / unit
TRD-MM4	Trailer system	4.700,00 €

MasterMix 2

Universal Cultivator


110-260 Hp



2.50 - 4.00


35cm



Standard Equipment :

- Three points connection with the tractor
- Under frame clearance 87cm
- Front knife and side knives
- Protection system Non-Stop with Hydraulic Cylinders & Nitrogen Accumulator
- A row of discs
- Two rows of tines
- Hydraulic adjusted rear roller
- Maximum working depth at 35cm



Model	 (m)			 +  BAR-ROL Ø580mm **BR**	 +  U-Knife Ø600mm **KN**			
MM2502	2,50m	90-140 HP	6	No-Stop	14.256,00 €	No-Stop	15.517,20 €
				Safety Bolt	10.970,00 €	Safety Bolt	12.120,00 €
MM3002	3,00m	100-160 HP	7	No-Stop	16.066,60 €	No-Stop	17.929,20 €
				Safety Bolt	12.320,00 €	Safety Bolt	13.300,00 €
MM3502	3,50m	110-180 HP	8	No-Stop	17.673,26 €	No-Stop	20.080,70 €
				Safety Bolt	13.798,40 €	Safety Bolt	14.896,00 €
MM4002	4,00m	130-200 HP	9	No-Stop	19.794,05 €	No-Stop	22.490,39 €
				Safety Bolt	15.454,21 €	Safety Bolt	16.683,52 €

VFN 710

Disc Harrow V type


140-300 Hp



2.90 - 3.80


22 / 24 / 28


Ø 710 / 8mm

Standard Equipment :

- Trailed construction
- Work in V form
- 22, 24 or 28 heavy duty discs
- Ø710 mm with 7mm thikness
- Accumulator for absorption of vibrations during traction
- Frame 150x100x10 or (200x100x10 for 24 / 28 discs)
- Inter disc spacing 270 mm
- High load capacity cone bearing
- Hydraulically adjustable disc angle
- Hydraulically controlled wheel lifting system



NIAUX 200

	Model		Working width (m)	Transportation width (m)	Kgr.	Ø710	€
Ø 710 / 7 mm	**VFN710.21**	min.140-160	2,90 m	3,10 m	2.600 Kgr	21	21.900,00 €
	VFN710.22	min.140-160	2,90 m	3,10 m	2.700 Kgr	22	22.300,00 €
	VFN710.22P	min.140-160	2,90 m	3,10 m	2.800 Kgr	22	23.200,00 €
	VFN710.24	min.160-180	3,20 m	3,40 m	3.050 Kgr	24	25.500,00 €
	VFN710.28	min.180-200	3,80 m	4,00 m	3.300 Kgr	28	27.500,00 €

MultiKompakt

Cultivator


80-250 Hp


m
2.50 - 6.00




Optional
Trailer

Standard Equipment :

- Front ground leveling bar adjustable
- Front roller
- Frame with tines - hydraulically adjusted working depth
- Rear ground leveling bar adjustable working depth and working angle
- Rear rollers
- S,D & K Tine standard version
- Models more than 4m are folding hydraulically



Standard





Model	(m)		Kgr. MK rollers	 MK 320 / 320mm	 Packer 550mm	 Crosskill 350mm	 Crosskill 350 / 350 mm
MK250	2,50 m	80-100 HP	790	9.700,00 €	11.000,00 €	10.500,00 €	11.500,00 €
MK300	3,00 m	100-150 HP	1.070	10.200,00 €	11.500,00 €	11.000,00 €	12.100,00 €
MK350	3,50 m	100-150 HP	1.300	12.300,00 €	13.650,00 €	12.850,00 €	14.050,00 €
MK400	4,00 m	120-170 HP	1.630	13.600,00 €	15.000,00 €	13.900,00 €	15.200,00 €
MKF400	**4,00 m** folding	120-170 HP	1.950	16.200,00 €	17.600,00 €	16.800,00 €	18.400,00 €
MKF450	**4,50 m** folding	120-170 HP	2.040	17.350,00 €	19.400,00 €	18.300,00 €	20.100,00 €
MKF500	**5,00 m** folding	150-190 HP	2.120	17.700,00 €	20.400,00 €	19.000,00 €	21.000,00 €
MKF550	**5,50 m** folding	150-190 HP	2.250	19.700,00 €	22.150,00 €	21.200,00 €	23.000,00 €
MKF600	**6,00 m** folding	170-250 HP	2.350	20.700,00 €	22.900,00 €	22.400,00 €	24.000,00 €

Accessories

	D2540	D tine for fix models	470 €
	D4060	D tine for folding models	950 €

Trailer system 	TSF	Trailer system for FIX models	4.700 €
	TS 031	Trailer system for folding models	5.400 €

KP

Cultivator

www.kariotakis.com.gr









Standard Equipment :

- Three points connection with the tractor
- Flex tine spring 32X12 (standard)
- Ability to choose a spring
- Ability to choose a knife
- Rear cylinders double diameter ø 320mm /320mm
- Main body from frame steel
- Models more than 4,00m are replicated hydraulically for safety and easy transport



Model	 (m)	 (m)			Kgr.	 32x12	 45x12 45x10
KP250	2,50 m	2,50 m	21	60-80 HP	515 Kgr	4.300,00 €	4.600,00 €
KP280	2,80 m	2,80 m	24	70-100 HP	558 Kgr	4.500,00 €	4.900,00 €
KP300	3,00 m	3,00 m	26	90-120 HP	580 Kgr	4.700,00 €	5.000,00 €
KP350	3,50 m	3,50 m	31	100-120 HP	686 Kgr	5.200,00 €	5.600,00 €
KP400	4,00 m	4,00 m	36	100-150 HP	880 Kgr	6.100,00 €	6.600,00 €
KPA400	**4,00 m** Folding	2,40 m	36	100-150 HP	1.385 Kgr	9.200,00 €	9.800,00 €
KPA500	**5,00 m** Folding	2,40 m	40	120-150 HP	1.508 Kgr	9.700,00 €	10.400,00 €
KPA600	**6,00 m** Folding	2,40 m	48	140-200 HP	1.670 Kgr	10.500,00 €	11.500,00 €
KPA700	**7,00 m** Folding	2,40 m	56	170-230 HP	1.900 Kgr	12.000,00 €	12.900,00 €

KP N

Cultivator


50-230 Hp


m
2.50 - 7.00




Optional
Trailer



Adjustable



Model	 (m)	 (m)			Kgr.	 32x12	 45x12 45x10
KPN250	2,50 m	2,50 m	21	60-80 HP	605 Kgr	5.300,00 €	5.600,00 €
KPN300	3,00 m	3,00 m	26	90-120 HP	690 Kgr	5.800,00 €	6.100,00 €
KPN350	3,50 m	3,50 m	31	100-120 HP	810 Kgr	6.400,00 €	6.800,00 €
KPN400	4,00 m	4,00 m	36	100-150 HP	1.020 Kgr	7.500,00 €	8.000,00 €
KPNA400	**4,00 m** Folding	2,40 m	36	100-150 HP	1.520 Kgr	10.800,00 €	11.400,00 €
KPNA500	**5,00 m** Folding	2,40 m	40	120-150 HP	1.685 Kgr	11.460,00 €	12.160,00 €
KPNA600	**6,00 m** Folding	2,40 m	48	140-200 HP	1.885 Kgr	12.436,00 €	13.436,00 €
KPNA700	**7,00 m** Folding	2,40 m	56	170-230 HP	2.160 Kgr	14.226,40 €	15.126,40 €

Accessories



HC	Hydraulic adjustment of the cylinder (from 2.00m-3.50m)	550,00 €
HC -2	Hydraulic adjustment of the cylinder (from 3.50m-7.00m)	1.300,00 €



FPK250	Front levelers adjusted 2.50m	600,00 €
FPK280	Front levelers adjusted 2.80m	670,00 €
FPK300	Front levelers adjusted 3.00m	730,00 €
FPK400	Front levelers adjusted 4.00m	800,00 €
FPKA400	Front levelers adjusted 4.00m folding	1.150,00 €
FPKA500	Front levelers adjusted 5.00m folding	1.200,00 €
FPKA600	Front levelers adjusted 6.00m folding	1.280,00 €
FPKA700	Front levelers adjusted 7.00m folding	1.390,00 €



TSF	Trailed system for FIX models	4.700,00 €
TS 031	Trailed system for folding models	5.400,00 €



ER013	Front tine heavy type	200,00 €



TRB	Front tine	68,00 €

SeedC

Cultivator

Standard Equipment :

- Adjustable connection with the seeding machine
- Front MC roller - adjustable
- 2 rows with 32X12 tines
- Rear BAR-ROL roller - Adjustable with diameter 420mm.
- Working depth 4-15cm



Model	(m)			Kgr.	Price
SeedC3	3,00m	80-110 Hp	20	580 Kgr	5.400,00 €
SeedC4	4,00m	110-140 Hp	26	770 Kgr	6.000,00 €









SmartDisc Pro

Disc Harrows



95-200 Hp



m

2.50 - 4.00



Standard Equipment :

- Link attachment three points with the tractor
- Notched disc diameter 560mm / 610mm, thikness 6mm
- Distance between rows 1070mm
- Hydraulic adjustment of the rear roller
- Rear roller BAR-ROL diameter 580mm
- Set of rubbers with metal traps
- NKS made in Germany . Double-row angular-contact ball bearings,Self-lubricant bearings, maintenance-free.
- Side plates
- Models more than 3,50m have transportation lights and signals



Model	Working width m				BAR-ROL	DOUBLE	PACKER	U-Knife Roller	Disc
					 Ø 580	 Ø 450 / Ø 450	 Ø 550	 Ø 600	 Ø 600
SMD250	2,50m	Min.95 HP	20	Ø 560	12.300,00 €	13.800,00 €	14.100,00 €	14.400,00 €	15.500,00 €
SMD2501				Ø 610	12.540,00 €	14.040,00 €	14.340,00 €	14.640,00 €	15.740,00 €
SMD300	3,00m	Min.110 HP	24	Ø 560	13.700,00 €	15.500,00 €	15.800,00 €	16.200,00 €	17.200,00 €
SMD3001				Ø 610	13.988,00 €	15.788,00 €	16.088,00 €	16.488,00 €	17.488,00 €
SMD350	3,50m	Min.140 HP	28	Ø 560	15.500,00 €	17.300,00 €	17.600,00 €	18.400,00 €	19.600,00 €
SMD3501				Ø 610	15.836,00 €	17.636,00 €	17.936,00 €	18.736,00 €	19.936,00 €
SMD400	4,00m	Min.160 HP	32	Ø 560	17.300,00 €	19.500,00 €	19.700,00 €	20.000,00 €	21.800,00 €
SMD4001				Ø 610	17.684,00 €	19.884,00 €	20.084,00 €	20.384,00 €	22.184,00 €



TSF	Trailer system for fix models	4.700,00 €



170-280 Hp



m
4.00 - 6.00



m
2.80 -2.90





Optional
Trailer



Folding models

Model	Working width m	m				BAR-ROL Ø 580	DOUBLE Ø 450 / Ø 450	PACKER Ø 550	U-Knife Roller Ø 600	Disc Ø 600
SMDA400	4,00m	2,90m	Min.170 HP	32	Ø 560	20.400,00 €	22.000,00 €	22.300,00 €	22.500,00 €	25.700,00 €
SMDA4001					Ø 610	20.784,00 €	22.384,00 €	22.684,00 €	22.884,00 €	26.084,00 €
SMDA450	4,50m	2,90m	Min.170 HP	36	Ø 560	21.800,00 €	23.400,00 €	23.900,00 €	24.200,00 €	27.500,00 €
SMDA4501					Ø 610	22.232,00 €	23.832,00 €	24.332,00 €	24.632,00 €	27.932,00 €
SMDA500	5,00m	2,90m	Min.170 HP	40	Ø 560	23.200,00 €	25.000,00 €	25.700,00 €	26.200,00 €	29.300,00 €
SMDA5001					Ø 610	23.680,00 €	25.480,00 €	26.180,00 €	26.680,00 €	29.780,00 €
SMDA550	5,50m	2,90m	Min.200 HP	44	Ø 560	25.000,00 €	27.000,00 €	27.800,00 €	28.500,00 €	31.500,00 €
SMDA5501					Ø 610	25.528,00 €	27.528,00 €	28.328,00 €	29.028,00 €	32.028,00 €
SMDA600	6,00m	2,90m	Min.230 HP	48	Ø 560	27.000,00 €	29.000,00 €	29.700,00 €	30.400,00 €	34.000,00 €
SMDA6001					Ø 610	27.576,00 €	29.576,00 €	30.276,00 €	30.976,00 €	34.576,00 €



Trailer Folding models

SMDA400 TR	4,00m	3,00m	Min.170 HP	32	Ø 560	26.000,00 €	27.900,00 €	28.000,00 €	28.500,00 €	31.700,00 €
SMDA4001 TR					Ø 610	26.384,00 €	28.284,00 €	28.384,00 €	28.884,00 €	32.084,00 €
SMDA450 TR	4,50m	3,00m	Min.170 HP	36	Ø 560	27.800,00 €	29.700,00 €	30.000,00 €	30.400,00 €	34.650,00 €
SMDA4501 TR					Ø 610	28.232,00 €	30.132,00 €	30.432,00 €	30.832,00 €	35.082,00 €
SMDA500 TR	5,00m	3,00m	Min.170 HP	40	Ø 560	29.900,00 €	32.800,00 €	32.800,00 €	33.200,00 €	37.700,00 €
SMDA5001 TR					Ø 610	30.380,00 €	33.280,00 €	33.280,00 €	33.680,00 €	38.180,00 €
SMDA550 TR	5,50m	3,00m	Min.200 HP	44	Ø 560	31.800,00 €	34.700,00 €	34.900,00 €	35.200,00 €	40.000,00 €
SMDA5501 TR					Ø 610	32.328,00 €	35.228,00 €	35.428,00 €	35.728,00 €	40.528,00 €
SMDA600 TR	6,00m	3,00m	Min.230 HP	48	Ø 560	33.400,00 €	36.300,00 €	36.600,00 €	37.000,00 €	42.000,00 €
SMDA6001 TR					Ø 610	33.976,00 €	36.876,00 €	37.176,00 €	37.576,00 €	42.576,00 €

Gr1130



1 270,00 €

FT



2 20,00 €

Hopper



3

	Code	Description	Price / unit
1	**GR1130**	Set 2 pcs of LED lights for transportation	270,00 €
2	**FT-501132**	Following tine	20,00 €
	FT-250	Following tines system 2,50m	750,00 €
	FT-300	Following tines system 3,00m	920,00 €
	FT-350	Following tines system 3,50m	1.250,00 €
	FT-400	Following tines system 4,00m	1.800,00 €
	FT-400A	Following tines system 4,00m folding	1.900,00 €
	FT-450A	Following tines system 4,50m folding	2.000,00 €
	FT-500A	Following tines system 5,00m folding	2.150,00 €
	FT-550A	Following tines system 5,50m folding	2.300,00 €
	FT-600A	Following tines system 6,00m folding	2.450,00 €
3	**Hopper**	Hopper (with electric monitor)in various sizes	

Knife Roller



	Code	Description	Price / unit
1	**KR3021**	Knife rollerand coupling Hydraulic	
	KR3021-250	Knife rollerand coupling Hydraulic 2,50m	5.100,00 €
	KR3021-300	Knife rollerand coupling Hydraulic 3,00m	5.600,00 €
	KR3021-350	Knife rollerand coupling Hydraulic 3,50m	6.700,00 €
	KR3021-400	Knife rollerand coupling Hydraulic 4,00m	7.800,00 €
	KR3021-400A	Knife rollerand coupling Hydraulic 4,00m folding	9.600,00 €
	KR3021-450A	Knife rollerand coupling Hydraulic 4,50m folding	10.100,00 €
	KR3021-500A	Knife rollerand coupling Hydraulic 5,00m folding	10.600,00 €
	KR3021-550A	Knife rollerand coupling Hydraulic 5,50m folding	11.100,00 €
	KR3021-600A	Knife rollerand coupling Hydraulic 6,00m folding	11.600,00 €

S5-S7-S9

Interrow cultivator

www.kariotakis.com.gr


70-140 Hp



4 - 12



45 - 75 cm


Hopper

Standard Equipment :

-Three points connection with the tractor
- Flex spring 32x12
- Ability to choose knife
- Ability to add fertilizer hoppers in various sizes
- Stong main body from frame steel
- Wheels
- Cultivation from 4-12 rows
- The driver of the fertilizer hopper is a metal wheel
- Metal wheels on each row
- Can cultivate 4-12 rows



S5

Model	Number of rows	Row Distance		Kgr	 3F		 5F		530 Ltr. (135 Kgr)
					 3FD	 3FL	 5FD	 5FL	
FIX frame 3,50m									
S5F 4R	4	65-80	70/100	428	**3F** 4.780,00 €		**5F** 5.200,00 €		2.450,00 €
					3FD 5.400,00 €	**3FL** 5.200,00 €	**5FD** 5.780,00 €	**5FL** 5.580,00 €	
Folding frame 4,15m									
S5 4R	4	70-95	70/100	450	**3F** 4.980,00 €		**5F** 5.400,00 €		2.450,00 €
					3FD 5.600,00 €	**3FL** 5.400,00 €	**5FD** 5.980,00 €	**5FL** 5.780,00 €	

Model	Number of rows	Row Distance		Kgr	3F	5F	690 Ltr. (160 Kgr)
					3FD / 3FL	5FD / 5FL	

FIX frame 5,00m

					3F		5F		
					6.350,00 €		6.700,00 €		
S7F 6R	6	65-75	80/110	601	3FD	3FL	5FD	5FL	2.850,00 €
					7.150,00 €	6.950,00 €	7.600,00 €	7.450,00 €	

Folding frame 5,10m

					3F		5F		
					6.550,00 €		6.900,00 €		
S7 6R	6	65-75	80/110	681	3FD	3FL	5FD	5FL	2.850,00 €
					7.350,00 €	7.150,00 €	7.800,00 €	7.650,00 €	

S7

Model	Number of rows	Row Distance		Kgr	3F	5F	
					3FD / 3FL	5FD / 5FL	

Folding frame 6,43m

					3F		5F		
					10.400,00 €		10.950,00 €		
S9 8R	8	65-75	100/140	956	3FD	3FL	5FD	5FL	
					11.200,00 €	10.900,00 €	11.750,00 €	11.450,00 €	

S9

01-R066

S5



16/650-8 10PR 4F

1 150,00€ /pc

M23R

S5



23X10.50-12 8PR

2 250,00€ /pc

S-004-1



3 100,00 €

S-004B



4 60,00 €

PTO



5 210,00€

S6 008



6 200,00€

S4 004



7 160,00€

S18 009 Stairs



8 250,00€

HRS2000 Hydraulic Folding



1+1 arm ----1.000,00€

2 +2 arms----1.300,00€

9

SP 3 079 **1.300Ltr**



S5 Fix
S7 with 1+1 arm folding

Metal ----- 3.450,00€

INOX ----- 4.100,00€

10

SP 3 Extention

S5



+25cm --- 200,00€ **Metal**

+25cm --- 300,00€ **INOX**

+50cm --- 250,00€

+50cm --- 350,00€

11

H530IN
H690IN



S5 530Ltr ----- 3.000,00€

INOX

S7 690Ltr ----- 3.500,00€

12

FW 370



13 300,00€ /pc

SP 13047





14 **SET** 780,00€

SP 3109





15 **SET** 1.050,00€

Vinyard
Machineries

ADISC



Standard Equipment :

- 3 point connection
- Notched discs with diameter 510mm
- Self-lubrication bearing
- 4-Rubbers Flexibility System on each bracket
- 450mm Tube Rear Roller
- Rear Roller depth Hydraulically Adjustment

Model	Transport width m	Working width m				Weight	Roller Ø 450
ADISC1,70	1,65m	1,47m	70-90	12	Ø 510	720 Kgr	8.700,00 €
ADISC1,90	1,88m	1,70m	70-90	14	Ø 510	805 Kgr	9.500,00 €
ADISC2,15	2,15m	1,96m	80-100	16	Ø 510	890 Kgr	10.600,00 €

SC 030



Standard Equipment :

- Fertilizer hopper capacity 320 Ltr.
- Working width max. 1.60m. minimum 1.20m.
- Metallic net inside the fertilizer hopper
- 4 fertilizer slots (fit 2 on each tine)
- 2 tines
- Rear line springs
- Work depth up to 15 cm
- Motion with metallic drive wheel
- Folding step
- 2 rubber wheels with adjustable depth of work
- Tractor 90-120Hp

4.900 €

HML

NEW

NO-STOP



Standard Equipment :

- 3 point connection
- 2 arms of Michel type
- NO-STOP Hydraulic protection system
- Rear roller mechanically adjusted
- Tractor 90-120Hp

9.600 €

www.kariotakis.com.gr



Kariotakis

Kariotakis O.E. / 14km Drama - Kavala / Agios Athanasios 66300 Doxato / Drama / Greece

Tel: +30 25210 66426 Email: info@kariotakis.com.gr